

THE WEATHER STOPS HERE



FenSeal




COLORS



BLACK





BRONZE



BEIGE



WHITE

DRAWING/PHOTO	PART #	AVAILABLE SIZES	PCS/BOX	BOXES/SKID
 650	DSFC-650	33", 37"	300	24
	DSFC-650	81", 82", 85"	150	24
	DSFC-650	97", 110", 120", 144"	125	24
	DSFC-650	ROLL - 400 FT	2	8
 740	DSFC-740	37"	300	24
	DSFC-740	82", 85"	150	24
	DSFC-740	97", 120"	125	24
 875	DSFC-875	37"	300	18
	DSFC-875	81", 82"	150	18
	DSFC-875	97"	125	18
 928	DSFC-928	37"	300	18
	DSFC-928	81"	150	18
	DSFC-928	97"	125	18
 CORNER SEALS*	CSADH-1688	2"	2000	16
	CS-ADH-DC-2.5	2.5"	2000	16
	CSADH-R	REELED	4000 FT	16
*CAN BE PURCHASED IN BOX QTY				
 POLYFLEX	PF512AD†	84"	100	24
 POLYFLEX	PF524AD†	84"	250	24

† White or Black only.



BLACK










BRONZE



BEIGE



WHITE

DRAWING/PHOTO	PART #	SIZE	FT/REEL	REELS/BOX	FT/BOX	BOXES/SKID
 UFF-375	UFF-375T190	.375" reach - .190" backer	1250	2	2500	8
 UFB-375	UFB-200T190	.200" reach - .190" backer	2000	2	4000	6
	UFB-250T190	.250" reach - .190" backer	1500	2	3000	6
	UFB-300T190	.300" reach - .190" backer	2000	2	4000	6
	UFB-375T190	.375" reach - .190" backer	1250	2	2500	8
 OFF	OFF-300T190	.300" reach - .190" backer	800	2	1600	8
	OFF-300T270	.300" reach - .270" backer	600	2	1200	8
	OFF-400T190	.400" reach - .190" backer	650	2	1300	8
 KS-354	KS-354K125	.354" reach - .125" backer	900	2	1800	6
 KS-265	KS-265K140	.273" X .260" reach	1000	2	2000	6
 KS-140	KS-140K046	.300" X 140" reach	1000	2	2000	6
 KSC-375	KSC-375K140	.456" X .375" reach	820	2	1640	6
 UCBSC	UCBSC-250K110 ‡	.250" Bulb, .110" kerf	1250	2	2500	8
	UCBSC-300K110 ‡	.300" Bulb, .110" kerf	1000	2	2000	8

‡ White or Black only.

THE WEATHER STOPS HERE



FenSeal products have been designed to provide superior performance and durability over the lifetime of your product.

Resilience

- Our bulbs hold their shape over time with a proprietary Thermoset Urethane core.
- Resists compression set due to the physical structure of our cross-linked urethane polymer which forms a structural shape.

Durability


- The durable Polyethylene skin shields and protects the foam seal from UV, chemicals, solvents, and mother nature.
- The lubricity of our Polyethylene skin allows for easy operation – will not bind or tear.
- Our seals pass the test of time with over 35 years of field experience.

Performance

- Energy efficient —designed to keep the weather out—drafts, cold, heat, and rain.
- No color fading.
- Automotive-grade seals produced in the US.

In stock & ready to ship within a 2-day ship point.

Statesville, NC • Dallas, TX • Tacoma, WA • Los Angeles, CA • Toronto, CAN^Δ



FenSeal.com

FenSeal LLC • info@fenseal.com • 610-403-9838

^Δdistributed through Aribell Products LTD